www.comsel.it

componenti elettronici • electronic components

PCB
TERMINAL BLOCK

DEGSON®

TERMINAL BLOCK

APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	15A	10A
Solid/stranded	28-12AWG	1.0-2,5mm²
Rated surge voltage	4kV	4kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Screws	M2.5, Steel, Cr³⁺ Zn Plated
Contact	Phosphor Bronze, Tin plated
Cage	Copper alloy, Ni Plated

Art.	Descrizione	Conf.
0002384	2EDGK-5.0-02P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 2P FEMALE H15.10	200
0002390	2EDGK-5.0-03P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 3P FEMALE H 15.10	200
0002396	2EDGK-5.0-04P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 4P FEMALE H 15.10	100
0002402	2EDGK-5.0-05P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 5P FEMALE H 15.10	100
0002407	2EDGK-5.0-06P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 6P FEMALE h 15.10	750
0002413	2EDGK-5.0-07P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 7P FEMALE H 15.10	625
0002418	2EDGK-5.0-08P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 8P FEMALE H 15.10	550
0002424	2EDGK-5.0-09P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 9P FEMALE H 15.10	475
0002347	2EDGK-5.0-10P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 10P FEMALE H 15.10	450
0002430	2EDGK-5.0-12P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 12P FEMALE H 15.10	350
0002350	2EDGK-5.0-14P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 14P FEMALE H 15.10	100
0015211	2EDGK-5.0-15P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 15P FEMALE H 15.10	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	15A	10A
Solid/stranded	28-12AWG	1.0-2,5mm²
Rated surge voltage	4kV	4kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Screws	M2.5, Steel, Cr³⁺ Zn Plated
Contact	Phosphor Bronze, Tin plated
Cage	Copper alloy, Ni Plated

Art.	Descrizione	Conf.
0002385	2EDGK-5.08-02P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 2P FEMALE H 15.10	200
0002391	2EDGK-5.08-03P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 3P FEMALE H 15.10	200
0002397	2EDGK-5.08-04P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 4P FEMALE H 15.10	100
0002403	2EDGK-5.08-05P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 5P FEMALE H 15.10	100
0002408	2EDGK-5.08-06P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 6P FEMALE H 15.10	750
0002414	2EDGK-5.08-07P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 7P FEMALE H 15.10	625
0002419	2EDGK-5.08-08P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 8P FEMALE H 15.10	550
0006175	2EDGK-5.08-09P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 9P FEMALE H 15.10	475
0002426	2EDGK-5.08-10P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 10P FEMALE H 15.10	450
0002431	2EDGK-5.08-12P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 12P FEMALE H 15.10	350
0002434	2EDGK-5.08-14P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 14P FEMALE H 15.10	300
0002436	2EDGK-5.08-15P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 15P FEMALE H 15.10	275
0010202	2EDGK-5.08-03P-24-02A(H) TERMINAL BLOCKS PLUGGABLE P 10,16MM 3P FEMALE DOUBLE PITCH H 15.10	900



TERMINAL BLOCK

APPROVAL				
ELECTRICAL			**MATERIAL**	
Standard	UL	IEC	**Housing**	PA 66/I, UL94 V-0
Rated voltage	300V	300V	**Screws**	M2.5, Steel, Cr^{3+} Zn Plated
Rated current	15A	10A	**Contact**	Phosphor Bronze, Tin plated
Solid/stranded	28-12AWG	1.0-2,5mm^2	**Cage**	Copper alloy, Ni Plated
Rated surge voltage	6kV	6kV		

Art.	Descrizione	Conf.
0015212	2EDGK-7.62-02P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 7,62 MM 2P FEMALE H 15.10	100
0015213	2EDGK-7.62-03P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 7,62 MM 3P FEMALE H 15.10	100
0015214	2EDGK-7.62-04P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 7,62 MM 4P FEMALE H 15.10	100
0015215	2EDGK-7.62-05P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 7,62 MM 5P FEMALE H 15.10	100
0015216	2EDGK-7.62-06P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 7,62 MM 6P FEMALE H 15.10	100
0015217	2EDGK-7.62-07P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 7,62 MM 7P FEMALE H 15.10	100
0002447	2EDGK-7.62-08P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 7,62 MM 8P FEMALE H 15.10	350
0015218	2EDGK-7.62-09P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 7,62 MM 9P FEMALE H 15.10	100
0015219	2EDGK-7.62-10P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 7,62 MM 10P FEMALE H 15.10	100
0015220	2EDGK-7.62-12P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 7,62 MM 12P FEMALE H 15.10	100



APPROVAL				
ELECTRICAL			**MATERIAL**	
Standard	UL	IEC	**Housing**	PA 66/I, UL94 V-0
Rated voltage	300V	300V	**Screws**	M2.5, Steel, Cr^{3+} Zn Plated
Rated current	10A	10A	**Contact**	Phosphor Bronze, Tin plated
Solid/stranded	28-12AWG	1.0-2,5mm^2	**Cage**	Copper alloy, Ni Plated
Rated surge voltage	4kV	4kV		

Art.	Descrizione	Conf.
0012185	2EDGKA-5.08-02P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 2P FEMALE H 26.00	200
0015223	2EDGKA-5.08-03P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 3P FEMALE H 26.00	100
0015224	2EDGKA-5.08-04P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 4P FEMALE H 26.00	100
0015225	2EDGKA-5.08-08P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 8P FEMALE H 26.00	100



APPROVAL				
ELECTRICAL			**MATERIAL**	
Standard	UL	IEC	**Housing**	PA 66/I, UL94 V-0
Rated voltage	300V	300V	**Screws**	M2.5, Steel, Cr^{3+} Zn Plated
Rated current	15A	10A	**Contact**	Phosphor Bronze, Tin plated
Solid/stranded	24-12AWG	1.0-2,5mm^2	**Cage**	Copper alloy, Ni Plated
Rated surge voltage	6kV	6kV		

Art.	Descrizione	Conf.
0015230	2EDGKA-7.5-02P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 2P FEMALE H 26.00	100
0015231	2EDGKA-7.5-03P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 3P FEMALE H 26.00	100
0012186	2EDGKA-7.5-04P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 4P FEMALE H 26.00	100
0015232	2EDGKA-7.5-08P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 8P FEMALE H 26.00	100



TERMINAL BLOCK

APPROVAL				
ELECTRICAL			**MATERIAL**	
Standard	UL	IEC	**Housing**	PA 66/I, UL94 V-0
Rated voltage	300V	300V	**Screws**	M2.5, Steel, Cr^{3+} Zn Plated
Rated current	15A	10A	**Contact**	Phosphor Bronze, Tin plated
Solid/stranded	24-12AWG	1.0-2,5mm²	**Cage**	Copper alloy, Ni Plated
Rated surge voltage	6kV	6kV		

Art.	Descrizione	Conf.
0013171	2EDGKA-7.62-02P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 2P FEMALE H 26.00	200
0015233	2EDGKA-7.62-03P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 3P FEMALE H 26.00	100
0015234	2EDGKA-7.62-04P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 4P FEMALE H 26.00	100
0015235	2EDGKA-7.62-08P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 8P FEMALE H 26.00	100



APPROVAL				
ELECTRICAL			**MATERIAL**	
Standard	UL	IEC	**Housing**	PA 66/I, UL94 V-0
Rated voltage	300V	300V	**Screws**	M2.5, Steel, Cr^{3+} Zn Plated
Rated current	15A	10A	**Contact**	Phosphor Bronze, Tin plated
Solid/stranded	28-12AWG	1.0-2,5mm²	**Cage**	Copper alloy, Ni Plated
Rated surge voltage	4kV	4kV		

Art.	Descrizione	Conf.
0005680	2EDGKB-5.08-02P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 2P FEMALE H 26.00	580
0006170	2EDGKB-5.08-04P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 4P FEMALE H 26.00	100
0005679	2EDGKB-5.08-06P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 6P FEMALE H 26.00	450
0006169	2EDGKB-5.08-16P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 16P FEMALE H 26.00	100



APPROVAL				
ELECTRICAL			**MATERIAL**	
Standard	UL	IEC	**Housing**	PA 66/I, UL94 V-0
Rated voltage	300V	300V	**Screws**	M2.5, Steel, Cr^{3+} Zn Plated
Rated current	15A	10A	**Contact**	Phosphor Bronze, Tin plated
Solid/stranded	28-12AWG	1.0-2,5mm²	**Cage**	Copper alloy, Ni Plated
Rated surge voltage	4kV	4kV		

Art.	Descrizione	Conf.
0011536	2EDGKM-5.08-03P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 3P FEMALE H 15.10	100
0005582	2EDGKM-5.08-04P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 4P FEMALE H 15.10	100
0005587	2EDGKM-5.08-06P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 6P FEMALE H 15.10	100
0007332	2EDGKM-5.08-09P-14-02A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 9P FEMALE H 15.10	375



TERMINAL BLOCK

APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	15A	10A
Rated surge voltage	4kV	4kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Pin Header	Copper alloy, Tin plated

Art.	Descrizione	Conf.
0002389	2EDGR-5.08-02P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 2P MALE 90° H 8.20	200
0002395	2EDGR-5.08-03P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 3P MALE 90° H 8.20	200
0002401	2EDGR-5.08-04P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 4P MALE 90° H 8.20	100
0002406	2EDGR-5.08-05P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 5P MALE 90° H 8.20	100
0002412	2EDGR-5.08-06P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 6P MALE 90° H 8.20	1150
0002417	2EDGR-5.08-07P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P5 ,08MM 7P MALE 90° H 8.20	1250
0002423	2EDGR-5.08-08P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 8P MALE 90° H 8.20	850
0006176	2EDGR-5.08-09P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 9P MALE 90° H 8.20	950
0002429	2EDGR-5.08-10P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 10P MALE 90° H 8.20	100
0002433	2EDGR-5.08-12P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 12P MALE 90° H 8.20	100
0002435	2EDGR-5.08-14P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 14P MALE 90° H 8.20	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	15A	10A
Rated surge voltage	4kV	4kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Pin Header	Copper alloy, Tin plated

Art.	Descrizione	Conf.
0008029	2EDGRC-5.08-02P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 2P MALE CLOSED 90° H 8.20	200
0007819	2EDGRC-5.08-03P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 3P MALE CLOSED 90° H 8.20	200
0007820	2EDGRC-5.08-04P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 4P MALE CLOSED 90° H 8.20	100
0007821	2EDGRC-5.08-05P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 5P MALE CLOSED 90° H 8.20	100
0007822	2EDGRC-5.08-06P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 6P MALE CLOSED 90° H 8.20	200
0015269	2EDGRC-5.08-07P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 7P MALE CLOSED 90° H 8.20	100
0007823	2EDGRC-5.08-08P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 8P MALE CLOSED 90° H 8.20	100
0015270	2EDGRC-5.08-09P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 9P MALE CLOSED 90° H 8.20	100
0015271	2EDGRC-5.08-10P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 10P MALE CLOSED 90° H 8.20	100
0015272	2EDGRC-5.08-12P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 12P MALE CLOSED 90° H 8.20	100
0015273	2EDGRC-5.08-14P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 14P MALE CLOSED 90° H 8.20	100
0012077	2EDGRC-5,08-02P-24-00A(H)TERMINAL BLOCKS PLUGGABLE P 10,16MM 2P MALE DOUBLE PITCH CLOSED 90° H 8.20	200



TERMINAL BLOCK

APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	15A	10A
Rated surge voltage	6kV	6kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Pin Header	Copper alloy, Tin plated

Art.	Descrizione	Conf.
0015274	2EDGRC-7.62-02P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 2P MALE 90° H 8.20	100
0015275	2EDGRC-7.62-03P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 3P MALE 90° H 8.20	100
0015276	2EDGRC-7.62-04P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 4P MALE 90° H 8.20	100
0015277	2EDGRC-7.62-05P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 5P MALE 90° H 8.20	100
0015278	2EDGRC-7.62-06P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 6P MALE 90° H 8.20	100
0015279	2EDGRC-7.62-07P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 7P MALE 90° H 8.20	100
0002449	2EDGRC-7.62-08P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 8P MALE 90° H 8.20	725
0015280	2EDGRC-7.62-09P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 9P MALE 90° H 8.20	100
0015281	2EDGRC-7.62-10P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 10P MALE 90° H 8.20	100
0015282	2EDGRC-7.62-12P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 12P MALE 90° H 8.20	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	15A	10A
Rated surge voltage	4kV	4kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Pin Header	Copper alloy, Tin plated
Nut	Copper alloy

Art.	Descrizione	Conf.
0015284	2EDGRHM-5.08-04P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 4P 90° H 28.40	100
0015285	2EDGRHM-5.08-06P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 6P 90° H 28.40	100
0007367	2EDGRHM-5.08-08P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 8P 90° H 28.40	100
0015286	2EDGRHM-5.08-10P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 10P 90° H 28.40	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	15A	10A
Rated surge voltage	4kV	4kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Pin Header	Copper alloy, Tin plated
Screw	Copper alloy

Art.	Descrizione	Conf.
0015243	2EDGRM-5.08-03P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 3P MALE 90° H 8.20	100
0005580	2EDGRM-5.08-04P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 4P MALE 90° H 8.20	100
0005584	2EDGRM-5.08-06P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 6P MALE 90° H 8.20	100
0007331	2EDGRM-5.08-09P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 9P MALE 90° H 8.20	800



TERMINAL BLOCK

APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	15A	10A
Rated surge voltage	4kV	4kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Pin Header	Copper alloy, Tin plated

Art.	Descrizione	Conf.
0002386	2EDGV-5.0-02P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 2P MALE H 12.10	200
0002392	2EDGV-5.0-03P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 3PMALE H 12.10	200
0002398	2EDGV-5.0-04P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 4P MALE H 12.10	100
0002404	2EDGV-5.0-05P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 5P MALE H 12.10	100
0002409	2EDGV-5.0-06P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 6P MALE H 12.10	1250
0002415	2EDGV-5.0-07P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 7P MALE H 12.10	1075
0002420	2EDGV-5.0-08P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 8P MALE H 12.10	925
0002425	2EDGV-5.0-09P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 9P MALE H 12.10	800
0015287	2EDGV-5.0-10P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 10P MALE H 12.10	100
0002348	2EDGV-5.0-12P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 12P MALE H 12.10	100
0002351	2EDGV-5.0-14P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5MM 14P MALE H 12.10	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	15A	10A
Rated surge voltage	4kV	4kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Pin Header	Copper alloy, Tin plated

Art.	Descrizione	Conf.
0002387	2EDGV-5.08-02P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 2P MALE H 12.10	200
0002393	2EDGV-5.08-03P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 3P MALE H 12.10	200
0002399	2EDGV-5.08-04P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 4P MALE H 12.10	100
0002405	2EDGV-5.08-05P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 5P MALE H 12.10	100
0002410	2EDGV-5.08-06P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 6P MALE H 12.10	1250
0002416	2EDGV-5.08-07P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 7P MALE H 12.10	1075
0002421	2EDGV-5.08-08P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 8P MALE H 12.10	1250
0013538	2EDGV-5.08-09P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 9P MALE H 12.10	800
0002427	2EDGV-5.08-10P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 10P MALE H 12.10	750
0002432	2EDGV-5.08-12P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 12P MALE H 12.10	625
0002352	2EDGV-5.08-14P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 14P MALE H 12.10	500



TERMINAL BLOCK

APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	15A	10A
Rated surge voltage	4kV	4kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Pin Header	Copper alloy, Tin plated

Art.	Descrizione	Conf.
0002388	2EDGVC-5.08-02P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 2P MALE CLOSED H 12.10	200
0002394	2EDGVC-5.08-03P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 3P MALE CLOSED H 12.10	200
0002400	2EDGVC-5.08-04P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 4P MALE CLOSED H 12.10	100
0015288	2EDGVC-5.08-05P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 5P MALE CLOSED H 12.10	100
0002411	2EDGVC-5.08-06P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 6P MALE CLOSED H 12.10	1150
0007207	2EDGVC-5.08-07P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 7P MALE CLOSED H 12.10	1000
0002422	2EDGVC-5.08-08P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 8P MALE CLOSED H 12.10	850
0015289	2EDGVC-5.08-09P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 9P MALE CLOSED H 12.10	100
0002428	2EDGVC-5.08-10P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 10P MALE CLOSED H 12.10	675
0002349	2EDGVC-5.08-12P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 12P MALE CLOSED H 12.10	575
0015290	2EDGVC-5.08-14P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 5,08MM 14P MALE CLOSED H 12.10	100
0010203	2EDGVC-5.08-03P-24-00A(H) TERMINAL BLOCKS PLUGGABLE P 10,16MM 3P MALE DOUBLE PITCH CLOSED H 12.10	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	15A	10A
Rated surge voltage	6kV	6kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Pin Header	Copper alloy, Tin plated

Art.	Descrizione	Conf.
0013170	2EDGVC-7.62-02P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 2P MALE CLOSED H 12.10	200
0015295	2EDGVC-7.62-03P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 3P MALE CLOSED H 12.10	100
0015296	2EDGVC-7.62-04P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 4P MALE CLOSED H 12.10	100
0015297	2EDGVC-7.62-05P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 5P MALE CLOSED H 12.10	100
0015298	2EDGVC-7.62-06P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 6P MALE CLOSED H 12.10	100
0015299	2EDGVC-7.62-07P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 7P MALE CLOSED H 12.10	100
0002448	2EDGVC-7.62-08P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 8P MALE CLOSED H 12.10	600
0015300	2EDGVC-7.62-09P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 9P MALE CLOSED H 12.10	100
0015301	2EDGVC-7.62-10P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 10P MALE CLOSED H 12.10	100
0015302	2EDGVC-7.62-12P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 7,62MM 12P MALE CLOSED H 12.10	100



TERMINAL BLOCK

APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	8A	8A
Solid/stranded	28-16AWG	0.5-1.5mm²
Rated surge voltage	2.5kV	2.5kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Screws	M2, Steel, Cr³⁺ Zn Plated
Contact	Phosphor Bronze, Tin plated
Cage	Copper alloy, Ni Plated

Art.	Descrizione	Conf.
0015304	15EDGKA-3.5-02P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 3,5MM 2P FEMALE H 19.10	100
0015305	15EDGKA-3.5-05P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 3,5MM 5P FEMALE H 19.10	100
0015306	15EDGKA-3.5-10P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 3,5MM 10P FEMALE H 19.10	100
0009428	15EDGKA-3.5-19P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 3,5MM 19P FEMALE H 19.10	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	8A	8A
Rated surge voltage	2.5kV	2.5kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Pin Header	Copper alloy, Tin plated

Art.	Descrizione	Conf.
0015307	15EDGVC-3.5-02P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 3,5MM 2P MALE CLOSED H 9.20	100
0015308	15EDGVC-3.5-05P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 3,5MM 5P MALE CLOSED H 9.20	100
0015309	15EDGVC-3.5-10P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 3,5MM 10P MALE CLOSED H 9.20	100
0009427	15EDGVC-3.5-19P-14-00A(H) TERMINAL BLOCKS PLUGGABLE P 3,5MM 19P MALE CLOSED H 9.20	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	20A	10A
Solid/stranded	24-12AWG	1.0-2.5mm²
Rated surge voltage	4kV	4kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Screws	M2.5, Steel, Cr³⁺ Zn Plated
Pin Header	Copper alloy, Tin plated
Cage	Copper alloy, Ni Plated

Art.	Descrizione	Conf.
0002443	DG103-5.0-02P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 2P H 15.50	500
0002444	DG103-5.0-03P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 3P H 15.50	100
0015310	DG103-5.0-05P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 5P H 15.50	100
0015311	DG103-5.0-06P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 6P H 15.50	100



TERMINAL BLOCK

APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	12A	10A
Solid/stranded	26-14AWG	0.75-1.5mm²
Rated surge voltage	4kV	4kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Screws	M2.5, Steel, Cr³ Zn Plated
Pin Header	Copper alloy, Tin plated
Cage	Copper alloy, Ni Plated

Art.	Descrizione	Conf.
0002364	DG127-5.0-02P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 2P H 10.10	1000
0002370	DG127-5.0-03P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 3P H 10.10	500
0015369	DG127-5.0-05P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 5P H 10.10	100
0002381	DG127-5.0-08P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 8P H 10.10	825
0002365	DG127-5.0-02P-24-00A(H) TERMINAL BLOCKS PCB P 10MM 2P DOUBLE PITCH H 10.10	1000



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	12A	10A
Solid/stranded	26-14AWG	0.75-1.5mm²
Rated surge voltage	4kV	4kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Screws	M2.5, Steel, Cr³ Zn Plated
Pin Header	Copper alloy, Tin plated
Cage	Copper alloy, Ni Plated

Art.	Descrizione	Conf.
0006061	DG127-5.08-02P-14-00A(H) TERMINAL BLOCKS PCB P 5,08MM 2P H 10.10	200
0015312	DG127-5.08-03P-14-00A(H) TERMINAL BLOCKS PCB P 5,08MM 3P H 10.10	100
0015313	DG127-5.08-05P-14-00A(H) TERMINAL BLOCKS PCB P 5,08MM 5P H 10.10	100
0015314	DG127-5.08-08P-14-00A(H) TERMINAL BLOCKS PCB P 5,08MM 8P H 10.10	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	12A	10A
Solid/stranded	26-14AWG	0.2-1.5mm²
Rated surge voltage	4kV	4kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Screws	M2.5, Steel, Cr³ Zn Plated
Pin Header	Phosphor Bronze, Tin plated
Cage	Copper alloy, Ni Plated

Art.	Descrizione	Conf.
0015315	DG127S-5.0-02P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 2P H 11.00	100
0015316	DG127S-5.0-03P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 3P H 11.00	100
0014497	DG127S-5.0-07P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 7P H 11.00	610
0015317	DG127S-5.0-08P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 8P H 11.00	100



TERMINAL BLOCK

APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	15A	10A
Solid/stranded	24-12AWG	0.5-2.5mm²
Rated surge voltage	4kV	4kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Screws	M2.5, Steel, Cr³ Zn Plated
Pin Header	Copper alloy, Tin plated
Cage	Copper alloy, Ni Plated

Art.	Descrizione	Conf.
0002366	DG128-5.0-02P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 2P H 14.10	500
0002371	DG128-5.0-03P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 3P H 14.10	400
0009156	DG128-5.0-06P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 6P H 14.10	100
0002382	DG128-5.0-08P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 8P H 14.10	100
0013866	DG128-5.0-10P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 10P H 14.10	500



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	15A	10A
Solid/stranded	24-12AWG	0.5-2.5mm²
Rated surge voltage	6kV	6kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Screws	M2.5, Steel, Cr³ Zn Plated
Pin Header	Copper alloy, Tin plated
Cage	Copper alloy, Ni Plated

Art.	Descrizione	Conf.
0014103	DG128-7.5-02P-14-00A(H) TERMINAL BLOCKS PCB P 7.5MM 2P H 14.10	200
0015318	DG128-7.5-03P-14-00A(H) TERMINAL BLOCKS PCB P 7.5MM 3P H 14.10	100
0015319	DG128-7.5-06P-14-00A(H) TERMINAL BLOCKS PCB P 7.5MM 6P H 14.10	100
0015320	DG128-7.5-08P-14-00A(H) TERMINAL BLOCKS PCB P 7.5MM 8P H 14.10	100
0015321	DG128-7.5-10P-14-00A(H) TERMINAL BLOCKS PCB P 7.5MM 10P H 14.10	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	15A	10A
Solid/stranded	24-12AWG	0.5-2.5mm²
Rated surge voltage	4kV	4kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Screws	M2.5, Steel, Cr³ Zn Plated
Pin Header	Copper alloy, Tin plated
Cage	Copper alloy, Ni Plated

Art.	Descrizione	Conf.
0002373	DG128R-5.0-03P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 3P 90° H 10.20	100
0015322	DG128R-5.0-04P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 4P 90° H 10.20	100
0015323	DG128R-5.0-06P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 6P 90° H 10.20	100
0015324	DG128R-5.0-07P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 7P 90° H 10.20	100



TERMINAL BLOCK



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	150V	150V
Rated current	2A	2A
Solid/stranded	24-20AWG	0.2-1.0mm²
Rated surge voltage	2.5kV	2.5kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Contact	Copper alloy, Tin plated
Spring	Stainless Steel

Art.	Descrizione	Conf.
0005287	DG141V-2.54-02P-14-00A(H) TERMINAL BLOCKS PCB P 2,54MM 2P SCREWLESS H 13.60	100
0015325	DG141V-2.54-03P-14-00A(H) TERMINAL BLOCKS PCB P 2,54MM 3P SCREWLESS H 13.60	100
0015326	DG141V-2.54-05P-14-00A(H) TERMINAL BLOCKS PCB P 2,54MM 5P SCREWLESS H 13.60	100
0015327	DG141V-2.54-06P-14-00A(H) TERMINAL BLOCKS PCB P 2,54MM 6P SCREWLESS H 13.60	100



PCB LAYOUT

APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	5A	5A
Solid/stranded	20-18AWG	0.2-1.5mm²
Rated surge voltage	4kV	4kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Contact	Phosphor Bronze, Tin Plated
Spring	Stainless Steel

Art.	Descrizione	Conf.
0015328	DG235-5.0-02P-11-00A(H) TERMINAL BLOCKS PCB P 5MM 2P H 15.50	100
0015329	DG235-5.0-03P-11-00A(H) TERMINAL BLOCKS PCB P 5MM 3P H 15.50	100
0002376	DG235-5.0-04P-11-00A(H) TERMINAL BLOCKS PCB P 5MM 4P H 15.50	675
0015330	DG235-5.0-07P-11-00A(H) TERMINAL BLOCKS PCB P 5MM 7P H 15.50	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	15A	10A
Solid/stranded	28-12AWG	0.2-2.5mm²
Rated surge voltage	4kV	4kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Contact	Phosphor Bronze, Tin Plated
Spring	Stainless Steel

Art.	Descrizione	Conf.
0005593	DG243-5.0-02P-11-00A(H) TERMINAL BLOCKS PCB P 5MM 2P SCREWLESS H 18.74	100
0005567	DG243-5.0-03P-11-00A(H) TERMINAL BLOCKS PCB P 5MM 3P SCREWLESS H 18.74	100
0005568	DG243-5.0-04P-11-00A(H) TERMINAL BLOCKS PCB P 5MM 4P SCREWLESS H 18.74	100
0005569	DG243-5.0-09P-11-00A(H) TERMINAL BLOCKS PCB P 5MM 9P SCREWLESS H 18.74	100
0005570	DG243-5.0-10P-11-00A(H) TERMINAL BLOCKS PCB P 5MM 10P SCREWLESS H 18.74	100



TERMINAL BLOCK

APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	10A	10A
Solid/stranded	22-14AWG	1.0-2.5mm²
Rated surge voltage	2kV	2kV

MATERIAL	
Housing	PBT/III, UL94 V-0
Screws	M3, Steel, Cr³⁺ Zn Plated
Pin Header	Copper alloy, Tin plated
Wire Guard	Stainless Steel

Art.	Descrizione	Conf.
0002368	DG300-5.0-02P-12-00A(H) TERMINAL BLOCKS PCB P 5MM 2P H 12.60	100
0002374	DG300-5.0-03P-12-00A(H) TERMINAL BLOCKS PCB P 5MM 3P H 12.60	100
0015331	DG300-5.0-04P-12-00A(H) TERMINAL BLOCKS PCB P 5MM 4P H 12.60	100
0015332	DG300-5.0-06P-12-00A(H) TERMINAL BLOCKS PCB P 5MM 6P H 12.60	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	-
Rated current	15A	-
Solid/stranded	22-14AWG	0.75-1.5mm²
Rated surge voltage	2kV	2kV

MATERIAL	
Housing	PBT/III, UL94 V-0
Screws	M2.5, Steel, Cr³⁺ Zn Plated
Pin Header	Copper alloy, Tin plated
Wire Guard	Stainless Steel

Art.	Descrizione	Conf.
0002369	DG301-5.0-02P-12-00A(H) TERMINAL BLOCKS PCB P 5MM 2P H 10.00	1000
0002375	DG301-5.0-03P-12-00A(H) TERMINAL BLOCKS PCB P 5MM 3P H 10.00	600
0002377	DG301-5.0-04P-12-00A(H) TERMINAL BLOCKS PCB P 5MM 4P H 10.00	100
0002378	DG301-5.0-05P-12-00A(H) TERMINAL BLOCKS PCB P 5MM 5P H 10.00	1700
0002379	DG301-5.0-06P-12-00A(H) TERMINAL BLOCKS PCB P 5MM 6P H 10.00	1450
0002380	DG301-5.0-07P-12-00A(H) TERMINAL BLOCKS PCB P 5MM 7P H 10.00	1250
0002383	DG301-5.0-08P-12-00A(H) TERMINAL BLOCKS PCB P 5MM 8P H 10.00	950
0005174	DG301-5.0-09P-12-00A(H) TERMINAL BLOCKS PCB P 5MM 9P H 10.00	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	-
Rated current	15A	-
Solid/stranded	22-14AWG	0.75-1.5mm²
Rated surge voltage	2kV	2kV

MATERIAL	
Housing	PBT/III, UL94 V-0
Screws	M2.5, Steel, Cr³⁺ Zn Plated
Pin Header	Copper alloy, Tin plated
Wire Guard	Stainless Steel

Art.	Descrizione	Conf.
0012811	DG301R-5.0-02P-12-00A(H) TERMINAL BLOCKS PCB P 5MM 2P 90° H 7.60	1000
0015334	DG301R-5.0-03P-12-00A(H) TERMINAL BLOCKS PCB P 5MM 3P 90° H 7.60	1000
0012812	DG301R-5.0-05P-12-00A(H) TERMINAL BLOCKS PCB P 5MM 5P 90° H 7.60	1000
0012813	DG301R-5.0-06P-12-00A(H) TERMINAL BLOCKS PCB P 5MM 6P 90° H 7.60	1000



TERMINAL BLOCK

APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	-
Rated current	10A	-
Solid/stranded	22-14AWG	0.75-1.5mm²
Rated surge voltage	2kV	2kV

MATERIAL	
Housing	PBT/III, UL94 V-0
Screws	M2.5, Steel, Cr³ Zn Plated
Pin Header	Copper alloy, Tin plated
Wire Guard	Stainless Steel

Art.	Descrizione	Conf.
0008881	DG306-5.0-02P-12-00A(H) TERMINAL BLOCKS PCB P 5MM 2P H 10.00	100
0008882	DG306-5.0-03P-12-00A(H) TERMINAL BLOCKS PCB P 5MM 3P H 10.00	100
0015335	DG306-5.0-05P-12-00A(H) TERMINAL BLOCKS PCB P 5MM 5P H 10.00	100
0015336	DG306-5.0-06P-12-00A(H) TERMINAL BLOCKS PCB P 5MM 6P H 10.00	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	150V	-
Rated current	6A	-
Solid/stranded	26-18AWG	0.5-1.0mm²
Rated surge voltage	1.5kV	1.5kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Screws	M1.6, Steel, Cr³ Zn Plated
Pin Header	Copper alloy, Tin plated
Cage	Copper alloy, Ni Plated

Art.	Descrizione	Conf.
0014441	DG308-2.54-02P-14-00A(H) TERMINAL BLOCKS PCB P 2.54MM 2P H 8.50	100
0014442	DG308-2.54-03P-14-00A(H) TERMINAL BLOCKS PCB P 2.54MM 3P H 8.50	100
0015337	DG308-2.54-04P-14-00A(H) TERMINAL BLOCKS PCB P 2.54MM 4P H 8.50	100
0015338	DG308-2.54-06P-14-00A(H) TERMINAL BLOCKS PCB P 2.54MM 6P H 8.50	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	10A	10A
Solid/stranded	30-16AWG	0.2-1.5mm²
Rated surge voltage	2kV	2kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Screws	M2.5, Steel, Cr³ Zn Plated
Pin Header	Copper alloy, Tin plated
Wire Guard	Stainless Steel

Art.	Descrizione	Conf.
0012550	DG332W-5.0-02P-13-00A(H) TERMINAL BLOCKS PCB P 5MM 2P BLACK H 11.50	100
0015339	DG332W-5.0-04P-13-00A(H) TERMINAL BLOCKS PCB P 5MM 4P BLACK H 11.50	100
0015340	DG332W-5.0-06P-13-00A(H) TERMINAL BLOCKS PCB P 5MM 6P BLACK H 11.50	100
0015341	DG332W-5.0-08P-13-00A(H) TERMINAL BLOCKS PCB P 5MM 8P BLACK H 11.50	100



TERMINAL BLOCK

APPROVAL				
ELECTRICAL			**MATERIAL**	
Standard	UL	IEC	**Housing**	PA/III, UL94 V-0
Rated voltage	300V	-	**Pin Header**	Copper alloy, Tin plated
Rated current	10A	-		
Rated surge voltage	2kV	2kV		

Art.	Descrizione	Conf.
0012549	DG332J-5.0-02P-13-00A(H) TERMINAL BLOCKS PCB P 5MM 2P MALE BLACK H 8.65	100
0002353	DG332J-5.0-03P-13-00A(H) TERMINAL BLOCKS PCB P 5MM 3P MALE BLACK H 8.65	100
0008541	DG332J-5.0-07P-13-00A(H) TERMINAL BLOCKS PCB P 5MM 7P MALE BLACK H 8.65	500
0015342	DG332J-5.0-09P-13-00A(H) TERMINAL BLOCKS PCB P 5MM 9P MALE BLACK H 8.65	100



APPROVAL				
ELECTRICAL			**MATERIAL**	
Standard	UL	IEC	**Housing**	PBT/III, UL94 V-0
Rated voltage	300V	-	**Screws**	M2.5, Steel, Cr^{3+} Zn Plated
Rated current	10A	-	**Pin Header**	Copper alloy, Tin plated
Solid/stranded	28-16AWG	0.2-1.5mm²	**Wire Guard**	Stainless Steel
Rated surge voltage	2kV	2kV		

Art.	Descrizione	Conf.
0015343	DG332K-5.0-02P-12-00A(H) TERMINAL BLOCKS PBC P 5MM 2P H 10.80	100
0015344	DG332K-5.0-03P-12-00A(H) TERMINAL BLOCKS PBC P 5MM 3P H 10.80	100
0012133	DG332K-5.0-05P-12-00A(H) TERMINAL BLOCKS PBC P 5MM 5P H 10.80	250
0008542	DG332K-5.0-07P-12-00A(H) TERMINAL BLOCKS PBC P 5MM 7P H 10.80	850



APPROVAL				
ELECTRICAL			**MATERIAL**	
Standard	UL	IEC	**Housing**	PA 66/I, UL94 V-0
Rated voltage	300V	300V	**Screws**	M2.0, Steel, Cr^{3+} Zn Plated
Rated current	7A	7A	**Pin Header**	Copper alloy, Tin plated
Solid/stranded	24-18AWG	0.5-1.0mm²	**Wire Guard**	Stainless Steel
Rated surge voltage	1.25kV	1.25kV		

Art.	Descrizione	Conf.
0002354	DG350-3.5-02P-14-00A(H) TERMINAL BLOCKS PCB P 3,5MM 2P H 8.40	1500
0002356	DG350-3.5-03P-14-00A(H) TERMINAL BLOCKS PCB P 3,5MM 3P H 8.40	1000
0002357	DG350-3.5-04P-14-00A(H) TERMINAL BLOCKS PCB P 3,5MM 4P H 8.40	100
0002359	DG350-3.5-07P-14-00A(H) TERMINAL BLOCKS PCB P 3,5MM 7P H 8.40	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	7A	7A
Solid/stranded	24-18AWG	0.5-1.0mm²
Rated surge voltage	1.25kV	1.25kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Screws	M2.0, Steel, Cr³⁺ Zn Plated
Pin Header	Copper alloy, Tin plated
Wire Guard	Stainless Steel

Art.	Descrizione	Conf.
0015345	DG350-3.96-02P-14-00A(H) TERMINAL BLOCKS PCB P 3,96MM 2P H 8.40	100
0015346	DG350-3.96-03P-14-00A(H) TERMINAL BLOCKS PCB P 3,96MM 3P H 8.40	100
0008883	DG350-3.96-04P-14-00A(H) TERMINAL BLOCKS PCB P 3,96MM 4P H 8.40	100
0015347	DG350-3.96-07P-14-00A(H) TERMINAL BLOCKS PCB P 3,96MM 7P H 8.40	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	7A	7A
Solid/stranded	24-18AWG	0.5-1.0mm²
Rated surge voltage	1.25kV	1.25kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Screws	M2.0, Steel, Cr³⁺ Zn Plated
Pin Header	Copper alloy, Tin plated
Wire Guard	Stainless Steel

Art.	Descrizione	Conf.
0002355	DG350R-3.5-02P-14-00A(H) TERMINAL BLOCKS PCB P 3,5MM 2P 90° H 6.80	100
0015348	DG350R-3.5-03P-14-00A(H) TERMINAL BLOCKS PCB P 3,5MM 3P 90° H 6.80	100
0002358	DG350R-3.5-04P-14-00A(H) TERMINAL BLOCKS PCB P 3,5MM 4P 90° H 6.80	100
0015349	DG350R-3.5-07P-14-00A(H) TERMINAL BLOCKS PCB P 3,5MM 7P 90° H 6.80	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	-
Rated current	10A	-
Solid/Stranded	26-16AWG	0.2-1.0mm²
Rated surge voltage	2.5kV	2.5kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Screws	M2, Steel, Cr³⁺ Zn Plated
Pin Header	Phosphor Bronze, Tin Plated
Cage	Copper alloy, Ni Plated

Art.	Descrizione	Conf.
0002360	DG381-3.5-02P-14-00A(H) TERMINAL BLOCKS PCB P 3,5MM 2P H 8.60	1000
0002362	DG381-3.5-03P-14-00A(H) TERMINAL BLOCKS PCB P 3,5MM 3P H 8.60	1000
0015350	DG381-3.5-05P-14-00A(H) TERMINAL BLOCKS PCB P 3,5MM 5P H 8.60	100
0015351	DG381-3.5-06P-14-00A(H) TERMINAL BLOCKS PCB P 3,5MM 6P H 8.60	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	-
Rated current	10A	-
Solid/stranded	26-16AWG	0.2-1.0mm²
Rated surge voltage	2.5kV	2.5kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Screws	M2, Steel, Cr³⁺ Zn Plated
Pin Header	Phosphor Bronze, Tin Plated
Cage	Copper alloy, Ni Plated

Art.	Descrizione	Conf.
0002361	DG381-3.81-02P-14-00A(H) TERMINAL BLOCKS PCB P 3,81MM 2P H 8.60	1500
0002363	DG381-3.81-03P-14-00A(H) TERMINAL BLOCKS PCB P 3,81MM 3P H 8.60	1000
0015352	DG381-3.81-05P-14-00A(H) TERMINAL BLOCKS PCB P 3,81MM 5P H 8.60	100
0015353	DG381-3.81-06P-14-00A(H) TERMINAL BLOCKS PCB P 3,81MM 6P H 8.60	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	20A	10A
Solid/stranded	24-12AWG	1.0-1.5mm²
Rated surge voltage	4kV	4kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Screws	M2.5, Steel, Cr³⁺ Zn Plated
Pin Header	Copper alloy, Tin plated
Cage	Copper alloy, Ni Plated

Art.	Descrizione	Conf.
0014101	DG500-5.0-02P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 2P H 14.00	500
0014102	DG500-5.0-03P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 3P H 14.00	500
0015354	DG500-5.0-04P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 4P H 14.00	100
0015355	DG500-5.0-06P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 6P H 14.00	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	300V
Rated current	20A	20A
Solid/stranded	28-12AWG	1.0-2.5mm²
Rated surge voltage	4kV	4kV

MATERIAL	
Housing	PA 66/I, UL94 V-0
Screws	M2.5, Steel, Cr³⁺ Zn Plated
Pin Header	Copper alloy, Tin plated
Cage	Copper alloy, Ni Plated

Art.	Descrizione	Conf.
0015356	DG500H-5.0-02P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 2P H 25.20	100
0015357	DG500H-5.0-03P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 3P H 25.20	100
0015358	DG500H-5.0-04P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 4P H 25.20	100
0015359	DG500H-5.0-06P-14-00A(H) TERMINAL BLOCKS PCB P 5MM 6P H 25.20	100
0011046	DG500H-5.0-03P-24-00A(H) TERMINAL BLOCKS PCB P 5MM 3P DOUBLE PITCH H 25.20	1000



APPROVAL				
ELECTRICAL			**MATERIAL**	
Standard	UL	IEC	**Housing**	PA 66/I, UL94 V-0
Rated voltage	300V	300V	**Screws**	M2.5, Steel, Cr^{3+} Zn Plated
Rated current	20A	20A	**Pin Header**	Copper alloy, Tin plated
Solid/stranded	28-12AWG	1.0-2.5mm²	**Cage**	Copper alloy, Ni Plated
Rated surge voltage	4kV	4kV		

Art.	Descrizione	Conf.
0002345	DG500H-5.08-02P-14-00A(H) TERMINAL BLOCKS PCB P 5,08MM 2P H 25.20	100
0002346	DG500H-5.08-03P-14-00A(H) TERMINAL BLOCKS PCB P 5,08MM 3P H 25.20	100
0015360	DG500H-5.08-04P-14-00A(H) TERMINAL BLOCKS PCB P 5,08MM 4P H 25.20	100
0015361	DG500H-5.08-06P-14-00A(H) TERMINAL BLOCKS PCB P 5,08MM 6P H 25.20	100



APPROVAL				
ELECTRICAL			**MATERIAL**	
Standard	UL	IEC	**Housing**	PA 66/I, UL94 V-0
Rated voltage	300V	300V	**Screws**	M2.5, Steel, Cr^{3+} Zn Plated
Rated current	20A	20A	**Pin Header**	Copper alloy, Tin plated
Solid/stranded	28-12AWG	1.0-2.5mm²	**Cage**	Copper alloy, Ni Plated
Rated surge voltage	4kV	4kV		

Art.	Descrizione	Conf.
0005669	DG500HH-5.08-02P-14-00A(H) TERMINAL BLOCKS PCB P 5,08MM 2P H 36.60	2000
0015362	DG500HH-5.08-03P-14-00A(H) TERMINAL BLOCKS PCB P 5,08MM 3P H 36.60	100
0015363	DG500HH-5.08-04P-14-00A(H) TERMINAL BLOCKS PCB P 5,08MM 4P H 36.60	100
0015364	DG500HH-5.08-06P-14-00A(H) TERMINAL BLOCKS PCB P 5,08MM 6P H 36.60	100



APPROVAL				
ELECTRICAL			**MATERIAL**	
Standard	UL	IEC	**Housing**	PA 66/I, UL94 V-0
Rated voltage	300V	300V	**Screws**	M3, Steel, Cr^{3+} Zn Plated
Rated current	30A	10A	**Pin Header**	Copper alloy, Tin plated
Solid/stranded	26-10AWG	1.5-4.0mm²	**Cage**	Copper alloy, Ni Plated
Rated surge voltage	6kV	6kV		

Art.	Descrizione	Conf.
0002445	DG635-6.35-02P-14-00A(H) TERMINAL BLOCKS PCB P 6,35MM 2P H 21.30	100
0002446	DG635-6.35-03P-14-00A(H) TERMINAL BLOCKS PCB P 6,35MM 3P H 21.30	100
0015367	DG635-6.35-04P-14-00A(H) TERMINAL BLOCKS PCB P 6,35MM 4P H 21.30	100
0015368	DG635-6.35-06P-14-00A(H) TERMINAL BLOCKS PCB P 6,35MM 6P H 21.30	100



TERMINAL BLOCK

APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	250V
Rated current	10A	24A
Solid/stranded	24-14AWG	0.5-2.5mm²
Rated surge voltage	AC2000V/1Min	

MATERIAL	
Housing	PA 66, UL94 V-0
Screws	M3, Steel, Cr³⁺ Zn Plated
Pin Header	Copper alloy, Tin plated

Art.	Descrizione	Conf.
0016489	TS2.5-02P-15-01 AH TERMINAL BLOCKS TRASFORMER TS4 SERIES ORANGE	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	250V
Rated current	20A	32A
Solid/stranded	24-14AWG	0.75-4.0mm²
Rated surge voltage	AC2000V/1Min	

MATERIAL	
Housing	PA 66, UL94 V-0
Screws	M3, Steel, Cr³⁺ Zn Plated
Pin Header	Copper alloy, Tin plated

Art.	Descrizione	Conf.
0015536	TS4-01P-15-01 AH TERMINAL BLOCKS TRASFORMER TS4 SERIES ORANGE	2000



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	250V
Rated current	55A	57A
Solid/stranded	12-6 AWG	0.75-4.0mm²
Rated surge voltage	AC2000V/1Min	

MATERIAL	
Housing	PA 66, UL94 V-0
Screws	M5, Steel, Cr³⁺ Zn Plated
Pin Header	Copper alloy, Tin plated

Art.	Descrizione	Conf.
0016061	TS10-01P-15-01 AH TERMINAL BLOCKS TRASFORMER TS4 SERIES ORANGE	100



TERMINAL BLOCK

APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	600V	250V
Rated current	10A	24A
Solid/stranded	20-12AWG	0.5-2.5mm²
Rated surge voltage		AC2000V/1Min

MATERIAL	
Housing	PA 66, UL94 V-0
Screws	M3, Steel, Cr^{3+} Zn Plated
Pin Header	Copper alloy, Tin plated

Art.	Descrizione	Conf.
0018157	TSB2.5-02P-15-01 AH TERMINAL BLOCKS TRASFORMER TS4 SERIES ORANGE	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	600V	450V
Rated current	30A	32A
Solid/stranded	20-12AWG	0.50-4.0mm²
Rated surge voltage		AC2500V/1Min

MATERIAL	
Housing	PA 66, UL94 V-0
Screws	M4, Steel, Cr^{3+} Zn Plated
Pin Header	Copper alloy, Tin plated

Art.	Descrizione	Conf.
0015096	TSB4-01P-15-01 AH TERMINAL BLOCKS TRASFORMERS TS4 SERIES ORANGE	100



APPROVAL		
ELECTRICAL		
Standard	UL	IEC
Rated voltage	300V	250V
Rated current	10A	10A
Solid/stranded	20-10AWG	0.50-4.0mm²
Rated surge voltage		AC2000V/1Min

MATERIAL	
Housing	PA 66, UL94 V-0
Screws	M3,5 Steel, Cr^{3+} Zn Plated
Pin Header	Copper alloy, Tin plated

Art.	Descrizione	Conf.
0015537	TSCF4-01P-11-00 AH TERMINAL BLOCKS TRASFORMERS TS4 SERIES GREY	100



TERMINAL BLOCK

L/W/H	130/87/64
NC 2	NO 2
Rated Voltage/Current	24V 1A

Art.	Descrizione	Conf.
0018158	DM72-RM-08-PN-4-44-00AH	100



L/W/H	326.5/87/64
NC 2	NO 2
Rated Voltage/Current	24V 2A

Art.	Descrizione	Conf.
0018159	DM72-RM-16-MT-4-4C-00AH	100



L/W/H	22.5/77.5/64
NC 2	NO 2
Rated Voltage/Current	24V 0.1A

Art.	Descrizione	Conf.
0018160	DM72-RM-01-PN-4-44-00AH	100





L/W/H	78.5/87/64
NC 1	NO 1
Rated Voltage/Current	24V 0.5A

Art.	Descrizione	Conf.
0018161	DM72-RM-04-P-2-44-00AH	100



L/W/H	135/77/59
NC 1	NO 1
Rated Voltage/Current	24V 1A

Art.	Descrizione	Conf.
0018162	DM72-RM-08-P-2-44-00AH	100



L/W/H	168.8/77/59
NC 2	NO 2
Rated Voltage/Current	24V 1A

Art.	Descrizione	Conf.
0018163	DM72-RMM-08-P-4-44-00AH	100



L/W/H	130/87/64
NC 2	NO 2
Rated Voltage/Current	24V 1A

Art.	Descrizione	Conf.
0018158	DM72-RM-08-PN-4-44-00AH	100





L/W/H	326.5/87/64
NC 2	NO 2
Rated Voltage/Current	24V 2A

Art.	Descrizione	Conf.
0018159	DM72-RM-16-MT-4-4C-00AH	100



TERMINAL BLOCK

L/W/H	22.5/77.5/64
NC 2	NO 2
Rated Voltage/Current	24V 0.1A

Art.	Descrizione	Conf.
0018160	DM72-RM-01-PN-4-44-00AH	100





L/W/H	78.5/87/64
NC 1	NO 1
Rated Voltage/Current	24V 0.5A

Art.	Descrizione	Conf.
0018161	DM72-RM-04-P-2-44-00AH	100



Art.	Descrizione	Conf.
0018164	FMET-02P-14-60AH-TOP	



Art.	Descrizione	Conf.
0018165	FMET-02P-14-00AH-TOP	



Art.	Descrizione	Conf.
0018166	FMET-02P-14-02A-TOP	



Art.	Descrizione	Conf.
0018167	FMET-02P-14-03A-TOP	



rev. 00

COMSEL

SP Busto Cassano, 2
21054 Fagnano Olona (VA) - ITALY
Tel. +39 0331 202255 - Fax +39 0331 202338
info@comsel.it

www.comsel.it

UNI EN ISO 9001:2000
CERTIQUALITY
SISTEMA DI GESTIONE QUALITÀ CERTIFICATO

CERTIFIED IQNet MANAGEMENT SYSTEM